

# Bluetooth® Mesh ADK 3.3.4.0 January 18, 2023

Bluetooth mesh is a new topology available for Bluetooth Low Energy (LE) devices that enables many-to-many (m:m) communication. It's optimized for creating large-scale device networks, and is ideally suited for building automation, sensor networks, and asset tracking. Our software and SDK for Bluetooth development supports Bluetooth Mesh and Bluetooth 5 functionality. Developers can add mesh networking communication to LE devices such as connected lights, home automation, and asset tracking systems. The software also supports Bluetooth beaconing, beacon scanning, and GATT connections so Bluetooth mesh can connect to smart phones, tablets, and other Bluetooth LE devices.

Bluetooth
KEY FEATURES
iOS ADK bug fixes
Android ADK bug fixes

These release notes cover ADK version(s):

3.3.4.0 released on January 18, 2023

3.3.3.0 released on October 19, 2022 (version update for compatibility with Bluetooth Mesh SDK)

- 3.3.2.0 released on September 28, 2022
- 3.3.1.0 released on August 17,2022
- 3.3.0.0 released on June 8, 2022

#### **Compatibility and Use Notices**

- Use the ADK version with the corresponding version of the Bluetooth Mesh SDK, for example use ADK version 3.3.4.0 with SDK version 3.0.4.0.
- The iOS ADK supports the iOS 13, iOS 14 and iOS 15.
- The Android ADK supports the Android 8+ for the framework and Android 9+ for the reference application.

#### Contents

1	And	roid2
	1.1	New Items
	1.2	Improvements2
	1.3	Fixed Issues2
	1.4	Known Issues in the Current Release
	1.5	Deprecated Items2
	1.6	Removed Items2
2	iOS.	
	2.1	New Items
	2.2	Improvements
	2.3	Fixed Issues
	2.4	Known Issues in the Current Release
	2.5	Deprecated Items
	2.6	Removed Items
3	Usin	ng This Release4
	3.1	Installation and Use4
	3.2	Support4

# 1 Android

## 1.1 New Items

None

## 1.2 Improvements

None

## 1.3 Fixed Issues

#### Fixed in release 3.3.4.0

ID #	Description
1036367	Fix SBMProxyControl when connected to a node with a network identity.

### Fixed in release 3.3.2.0

ID #	Description
720798	Fixed invalid AppKey index for most types of PublicationSettings - added Publish.getAppKeyIndex - PublicationSettings constructors now require additional appKeyIndex

#### Fixed in release 3.3.0.0

ID #	Description
812999	Fixed the algorithm of removing subnets
737704	Fixed infinite loop when writing to a characteristic (rarely).

## 1.4 Known Issues in the Current Release

None

## 1.5 Deprecated Items

#### Deprecated in release 3.3.0.0

In a future release, Application Key will be separated from Group because the Bluetooth Mesh Specification does not indicate a relationship between Application Key and Group.

## 1.6 Removed Items

None

# 2 iOS

### 2.1 New Items

None

## 2.2 Improvements

#### Changed in release 3.3.0.0

ID #	Description
632701	Add option for DCD retrieval to SBMProvisionerConfiguration

## 2.3 Fixed Issues

#### Fixed in release 3.3.2.0

ID #	Description
711210	Fix SBMProxyControl when connected to a node with a network identity.

#### Fixed in release 3.3.1.0

ID #	Description
856958	Fixed wrong version number shown in the logs.
499786	Add new constructors with application key for SBMPublicationSettings. Deprecate current SBMPublicationSettings constructors. Fixed response handling for get/set of publications

#### Fixed in release 3.3.0.0

ID #	Description
841631	Fixed receiving the Secure Network Beacon callbacks after import the database.

## 2.4 Known Issues in the Current Release

None

## 2.5 Deprecated Items

#### Deprecated in release 3.3.1.0

ID #	Description
499786	Deprecate current SBMPublicationSettings constructors.

#### Deprecated in release 3.3.0.0

In a future release, Application Key will be separated from Group because the Bluetooth Mesh Specification does not indicate a relationship between Application Key and Group.

### 2.6 Removed Items

None

# 3 Using This Release

## 3.1 Installation and Use

See AN1200.1: iOS and Android ADK for Bluetooth® Mesh SDK 2.x and Higher for information about required tools and compatible platforms.

## 3.2 Support

Development Kit customers are eligible for training and technical support. Use the Silicon Labs Bluetooth LE web page to obtain information about all Silicon Labs Bluetooth products and services, and to sign up for product support.

Contact Silicon Laboratories support at http://www.silabs.com/support.





www.silabs.com/products



Quality www.silabs.com/quality



Support & Community www.silabs.com/community

#### Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice to the product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Without prior notification, Silicon Labs may update product firmware during the manufacturing process for security or reliability reasons. Such changes will not alter the specifications or the performance of the product. Silicon Labs shall have no liability for the consequences of use of the information supplied in this document. This document does not imply or expressly grant any license to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any FDA Class III devices, applications for which FDA premarket approval is required or Life Support Systems without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs product shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons. Silicon Labs disclaims all express and implied warranties and shall not be responsible or liable for any injuries or damages related to use of a Silicon Lab

#### **Trademark Information**

Silicon Laboratories Inc.<sup>®</sup>, Silicon Laboratories<sup>®</sup>, Silicon Labs<sup>®</sup>, SiLabs<sup>®</sup> and the Silicon Labs logo<sup>®</sup>, Bluegiga<sup>®</sup>, Bluegiga Logo<sup>®</sup>, EFM<sup>®</sup>, EFM32<sup>®</sup>, EFR, Ember<sup>®</sup>, Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Redpine Signals<sup>®</sup>, WiSeConnect, n-Link, ThreadArch<sup>®</sup>, EZLink<sup>®</sup>, EZRadio<sup>®</sup>, EZRadio<sup>®</sup>, Gecko<sup>®</sup>, Gecko OS, Gecko OS Studio, Precision32<sup>®</sup>, Simplicity Studio<sup>®</sup>, Telegesis, the Telegesis Logo<sup>®</sup>, USBXpress<sup>®</sup>, Zentri, the Zentri logo and Zentri DMS, Z-Wave<sup>®</sup>, and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. Wi-Fi is a registered trademark of the Wi-Fi Alliance. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc. 400 West Cesar Chavez Austin, TX 78701 USA

## www.silabs.com