



USB Device Stack 1.3.0.0 GA

June 5, 2024

USB is commonly viewed as an interface for computer peripherals, but its flexibility and plug-and-play design have led to its adoption in many IoT applications. Silicon Labs' USB device stack, which leverages an efficient, multi-task architecture, is perfect for developers with IoT projects requiring USB connectivity. With an intuitive API and implementations of several popular classes, the stack is capable of supporting a variety of use cases, including USB communication between a network co-processor (NCP) and host.

The USB stack complies with the "Universal Serial Bus specification revision 2.0" and implements the "Interface Association Descriptor Engineering Change Notice (ECN)".

It also supports Control, Bulk and Interrupt endpoints and provide ready-to-use support for the following USB classes:

- Communication Device Class (CDC)
- Abstract Control Model (ACM)
- Human Interface Device (HID)
- Mass Storage Class (MSC)
- Vendor-specific class framework

Other features include:

- Scalable to include only required features to minimize memory footprint
- Supports Full-speed (12 Mbit/s)
- Supports composite (multi-function) devices
- Supports multi-configuration devices
- Supports USB power-saving functionalities (device suspend and resume)
- Complete integration of Mass Storage Class into Micrium OS File System module
- Developed with CMSIS-RTOS2 abstraction layer so that it can work with different OSes. Silicon Labs GSDK comes with FreeRTOS and Micrium OS ports.

This document covers the following stack versions:

1.3.0.0 released June 5, 2024

KEY FEATURES

- Underlying platform changes only.

Contents

- 1 New Items 3
- 2 Improvements..... 4
- 3 Fixed Issues 5
- 4 Known Issues in the Current Release 6
- 5 Deprecated Items 7
- 6 Removed Items 8

1 New Items

General Notice

Simplicity SDK is an embedded software development platform for building IoT products based on our Series 2 and Series 3 wireless and MCU devices. It integrates wireless protocol stacks, middleware, peripheral drivers, a bootloader, and application examples – a solid framework for building power-optimized and secure IoT devices.

The Simplicity SDK offers powerful features such as ultra-low power consumption, strong network reliability, support for a large number of nodes, and abstraction of complex requirements like multiprotocol and pre-certification. Additionally, Silicon Labs provides over-the-air (OTA) software and security updates to remotely update devices, minimize maintenance costs, and enhance the end-user product experience.

Simplicity SDK is a follow-on from our popular Gecko SDK, which will continue to be available providing long-term support for our Series 0 and Series 1 devices. For additional information on the Series 0 and Series 1 devices please reference: [Series 0 and series 1 EFM32/EZR32/EFR32 device \(silabs.com\)](#).

2 Improvements

Changed in release 1.3.0.0

None.

3 Fixed Issues

None.

4 Known Issues in the Current Release

None.

5 Deprecated Items

None.

6 Removed Items

None.

Simplicity Studio

One-click access to MCU and wireless tools, documentation, software, source code libraries & more. Available for Windows, Mac and Linux!



IoT Portfolio
www.silabs.com/IoT



SW/HW
www.silabs.com/simplicity



Quality
www.silabs.com/quality



Support & Community
www.silabs.com/community

Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice to the product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Without prior notification, Silicon Labs may update product firmware during the manufacturing process for security or reliability reasons. Such changes will not alter the specifications or the performance of the product. Silicon Labs shall have no liability for the consequences of use of the information supplied in this document. This document does not imply or expressly grant any license to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any FDA Class III devices, applications for which FDA premarket approval is required or Life Support Systems without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons. Silicon Labs disclaims all express and implied warranties and shall not be responsible or liable for any injuries or damages related to use of a Silicon Labs product in such unauthorized applications.

Note: This content may contain offensive terminology that is now obsolete. Silicon Labs is replacing these terms with inclusive language wherever possible. For more information, visit www.silabs.com/about-us/inclusive-lexicon-project

Trademark Information

Silicon Laboratories Inc.[®], Silicon Laboratories[®], Silicon Labs[®], SiLabs[®] and the Silicon Labs logo[®], Bluegiga[®], Bluegiga Logo[®], EFM[®], EFM32[®], EFR, Ember[®], Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Redpine Signals[®], WiSeConnect, n-Link, EZLink[®], EZRadio[®], EZRadioPRO[®], Gecko[®], Gecko OS, Gecko OS Studio, Precision32[®], Simplicity Studio[®], Telegesis, the Telegesis Logo[®], USBXpress[®], Zentri, the Zentri logo and Zentri DMS, Z-Wave[®], and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. Wi-Fi is a registered trademark of the Wi-Fi Alliance. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc.
400 West Cesar Chavez
Austin, TX 78701
USA

www.silabs.com